

**Basic characteristics :**

Should button switch box structure design match nation and Europe total body CE safety attestation request, according to the international IEC947 and the EN60947 and CCC nation the GB14048.5-2001 produce examination the LA68 H series button box(box) can extensive application at the machine tool machine,electricity equipments,electric power tele-communications,automation etc. profession,may also by hand ships,metallurgy,chemical engineering,aerospace,orbit transportation,wastewater treatment,building etc. realm.According to your need you can button box conduct and actions connect a line box, seal completely a box, the spot control box,illuminate control box usage.

**product elucidation :**

The material can is divided in to strengthen two kings of protection grade of the Zu Ran ACS and PC to attain IP65.Knocked to fall.

Bore constitution


**Remarks:**

We provide a variety enclosure for you to make box ability better satisfy your need,exertive larger function we can provide electric cable and Install hook.If the your demand be special to process,we will be you best of supplier,my company have a variety constitution can satisfy you process a need.


**Electric cable entrance :**

Knock to fall bore,be suitable for the 13th(CN12,PG13.5) with the IS020 electric cable set .

## Install structure



product dimensions:



"Start" or "stop" function (black gray base shallow gray cover)


	说明	线图	标记 说明	标记 按钮	型号
 SAL-B101	1绿色平头按钮 弹簧返回 1 green crew cut button The spring coil return	N/O	13 14	-	SAL-B101
			-	I	SAL-B102
			-	起动	SAL-B103
 SAL-B111	1红色平头按钮 弹簧返回 1 red crew cut button The spring coil return	N/C	21 22	-	SAL-B111
			-	停止	SAL-B114
			-	O	SAL-B112
 SAL-B164	1红色蘑菇头按钮, φ 40mm 弹簧返回 Red mushroom head button, the spring coil return	N/C	21 22	-	SAL-B164
			-	停止	SAL-B116
			-	停止	SAL-B116
 SAL-B132	1红色蘑菇头按钮, φ 40mm 弹簧返回 Red mushroom head button, the spring coil return	N/C	21 22	-	SAL-B164
			-	停止	SAL-B116
			-	停止	SAL-B116
 SAL-B142	1选择开关 2位置锁定式 标准手柄 Choice switch 2 position target type Standard hand handle	N/O	13 14	-	SAL-B132
			-	-	SAL-B134
			O I	-	
	1选择开关 钥匙操作(钥匙复位 n° 445) 2位置锁定式从左弹回 One choice switch Key operation (the key reset n° 445) 2 position target type from left bounce	N/C	13 14	-	SAL-B142
			-	-	
			O I	-	SAL-B144



SAL-J174

1红色蘑菇头按钮，  
Φ40mm锁定式转动  
释放装置


Red mushroom head  
button the Φ40mm  
target type turn  
to move to release  
equip



N/C

Red


SAL-J174



N/C+N/C

Red

SAL-J174F



N/C+N/O

Red


SAL-J174D



SAL-J184

1红色蘑菇头按钮，  
Φ40mm锁定式钥匙复位  
(Ronis钥匙n° 445)


Red mushroom head  
button the Φ40mm  
target type turn  
to move to release  
equip



N/C

Red


SAL-J184



N/C+N/C

Red

SAL-J184F



N/C+N/O

Red

SAL-J184D